Product information

Radiator Stop Leak

PI 53/10/15/2021



Description

Dispersion for sealing leaks in coolant circuits of water-cooled engines. Reliably seals hairline cracks and smaller leaks. It can also be used preventively as protection after a cooling system repair. The solids dispersion is stabilized in carrier fluid.

Properties

- compatible with conventional coolants and antifreezes
- suitable for aluminum radiators
- permanently and reliably seals hairline cracks and small leaks
- no negative side effects on the water pump or heating circuit
- for preventive use

Technical data

Form liquid

Color / appearance white, cloudy

Density at 20 °C 1,05 g/cm³

Solubility in water mixable

Odor weak

Flash point >100 °C

Areas of application

Used for sealing small leaks in cooling circuits of passenger cars, commercial vehicles and buses. Also suited for cooling water circuits equipped with water filters.

Comment

Store free of frost.

The treated product contains biocidal products as preservative. Contains a mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1).

Application

Shake well before use. Add contents to the cold cooling system. Start up the heater. Then drive the vehicle for at least 10 minutes. 150 ml is sufficient for up to 7 l of coolant; 250 ml is sufficient for up to 10 l of coolant.

Available pack sizes

150 ml Can sheet metal 2505

D-E-P

150 ml Can sheet metal 8371

GB-ARAB-F

Available pack sizes

150 ml Can sheet metal 8347

D-PL-BG

150 ml Can sheet metal 8956

GB-GR-I

150 ml Can sheet metal 7129

ALGERIEN-GB-ARAB-F

150 ml Can sheet metal 20806

D-GB-SLO-SRB-HR

150 ml Can sheet metal 21510

F-D

150 ml Can sheet metal 21352

D-GB-CN

150 ml Can sheet metal 3330

D-F-NL

250 ml Can sheet metal 2828

DK-N-S-FIN

250 ml Can sheet metal 1810

GB-GR-I

250 ml Can sheet metal 2676

D-PL-BG

250 ml Can sheet metal 1921

D-F-I

250 ml Can sheet metal 8370

GB-ARAB-F

250 ml Can sheet metal 8385

D-H-R0

250 ml Can sheet metal 20869

JР

Our information is based on thorough research and may be considered reliable, although not legally binding.